

Claim

1. A male condom comprising:
2 a unitary body having a closed end and an open end, the unitary body
3 having a first elongated generally tubular section adapted to fit
4 a penis of a male, the first elongated generally tubular section
5 having the closed end,
6 a second section extending from the first elongated generally tubular
7 section, the second section being adapted to fit a scrotum of a
8 male, the second section having the open end, and
9 resilient means adjacent the open end adapted to hold the condom
10 securely to a male, the resilient means adapted to fit between the
11 scrotum and the torso of a male.

2. The condom of claim 1, wherein the unitary body comprises one
2 of latex rubber, animal skin and a synthetic membrane.

3. The condom of claim 1, wherein the resilient means adjacent the
2 open end allow expansion of open end of second section over larger
3 size of scrotum and then reduces and grips a smaller size between
4 the scrotum and a torso of a male

4. The condom of claim 3 wherein the resilient means can be
2 configured in one of a round and square configuration.

5. The condom of claim 4 wherein the resilient means being
2 adjustable and flexible.

6. The condom of claim 1 wherein the second section adapted to

2 and cups a male scrotum.

7. The condom of claim 1, wherein the first elongated
2 generally tubular section adapted to fit a penis of a male having a
3 first wall thickness, and the second section extending from the
4 first elongated generally tubular section, the second section
5 being adapted to fit a scrotum of a male, the second section having
6 a second wall thickness, the second wall thickness being less than
7 the first wall thickness.

8. The condom of claim 7 wherein the second section being
2 preformed for a larger area shaped to a male scrotum for space
3 for a male scrotum.

9. The condom of claim 1 wherein the condom can be sized for a
2 multiplicity of sizes for a variety of individual user.

10. The condom of claim 1 wherein the condom is packaged flat
2 with the two sections being visible.

11. The condom of claim 1 further comprising packaging where at
2 least a multiplicity of individually packaged condoms are provided.

12. Packaging for a condom of claim 11 wherein

2 the at least a multiplicity of individually packaged condoms are
3 displayed with each packaged condom being placed above and back of a
4 lower condom.

13. The condom of claim 12 further comprising openable

2 and recloseable packaging wherein the at least a multiplicity of
3 individually packaged condoms are available for selection.

14. A condom for use by a user for the prevention of

2 pregnancy and the prevention of disease, the condom comprising:
3 a body having a closed end and an open end, the body having a first
4 section adapted to fit one of a penis and a penile facsimile, the
5 first section having the closed end,
6 a second section adapted to fit one of a scrotum of a user and a
7 genital facsimile, the second section having the open end, and
8 a resilient gripper means near the open end of the body adapted to
9 hold the condom securely to a user and adapted to fit one of
10 between the scrotum and the pelvis of a user and onto a genital
11 facsimile.

15. A condom for use or the prevention of
12 pregnancy and the prevention of disease, the condom comprising:
13 a body having a closed end and an open end, the body having a first
14 section adapted to fit a penis of a user, the first section having
15 the closed end,
16 a second section adapted to fit a scrotum of a user, the second
17 section having the open end, and
18 a resilient gripper means near the open end of the body adapted to
19 hold the condom securely to a user and adapted to fit between the
20 scrotum and the pelvis of a user of the condom.

16. A method of use of the condom according to claim 1
2 comprising the following steps
3 positioning the first elongated generally tubular section of the
4 unitary body of the condom onto the penis of a user,
5 expanding the resilient means adjacent the open end of the condom,
6 positioning the second section of the unitary body of the condom
7 around the scrotum of the user, and
8 allowing resilient means to contact the open end to fit between
9 the scrotum and the torso of a user.